


TC-100 main assembly

BEGINNING SERIAL NO.1251






PHOENIX, AZ · MONTICELLO, MN 1-800-223-4540

TC-100 Main assembly

BEGINNING SERIAL NO.1251

	PARTS LIST				PARTS LIST			
ITEM	PART NO.	DESCRIPTION	QTY	ITEM	PART NO.	DESCRIPTION	QTY	
1	5518	MAIN FRAME WELD	1	27	224 W	WASHER, FLAT 1/2	2	
2	3397	SPINDLE, AXLE R.H.	1	28	223	NUT, HEX LCOK 1/2-13	16	
3	3398	SPINDLE, AXLE L.H.	1	29	210	GREASE ZERK	4	
4	447	CAP SCREW, HH 3/8-16 X 1-1/4	10	30	3029	FEMALE SHEAR BLADE	2	
5	212	NUT, HEX LOCK 3/8-16	26	31	443	CAP SCREW, HH, 1/2-13 X 3-1/2	14	
6	3025-1	WHEEL HUB	2	32	224	WASHER, FLAT 1/2	14	
7	3025-2	SEAL, BEARING	4	33	3042	CAP SCREW, AL SOC HD, 1/2-13 X 1-3/	4 18	
8	3025-3	BEARING, TAPERED	4	34	5520	SHEAR BAR SUPPORT WELD	1	
9	3025-4	NUT, SPINDLE	2	35	3030	MALE SHEAR BAR	1	
10	3025-5	COTTER PIN	2	36	3196	BUSHING, FULCRUM	2	
11	3025-6	COVER, HUB	2	37	3072	PIN, FULCRUM	1	
12	3025-7	LUG BOLT	10	38	276	COTTER PIN, 3/16	2	
13	3034	WHEEL, WHITE SPOKED, 13"	2	39	3113	SHAFT, ROLLER	2	
14	3083	VALVE STEM	2	40	3112	ROLLER, TIRE SUPPORT	2	
15	3084	TIRE, 185 X 13, 2 PLY BIAS WHT WALL	2	41	3102	BEARING ROLLER	4	
16	5519	FENDER WELD ASSY	2	42	1436	COTTER PIN	4	
17	1306	CAP SCREW, HH 3/8-16 X 1	8	43	230	HANDLE GRIP	2	
18	700	WASHER, FLAT 3/8	8	44	5534	HANDLE WELD	2	
19	3079	REFLECTOR	2	45	5535	PIVOT WELD	1	
20	1055	SCREW, SELF TAP #10-24 X 1/2	4	46	444	CAP SCREW, HH, 1/4-20 X 1	4	
21	3023-1	JACK	1	47	445	WASHER, FLAT 1/4	9	
22	3023-2	RETAINING RING	1	48	226	NUT, HEX LOCK 1/4-20	4	
23	3027	HITCH COUPLER, 2" BALL	1	49	4217	SPACER, FENDER	4	
24	3060	CAP SCREW, 1/2-13 X 4-1/2	2	50	4860	CAP SCREW, AL SOC HD 5/8-1 X 2	1	
25	3081	CHAIN, SAFETY	2	51	3065	ANCHOR, FULCRUM (PIVOT BLOCK)	2	
26	3082	CLIP, SAFETY CHAIN	2	52	5949	TIRE RAMP WELDMENT	1	






PHOENIX, AZ · MONTICELLO, MN 1-800-223-4540

TC-100 HYDRAULIC ASSY 9-21-15

	PARTS LIST							
ITEM	PART NO.	DESCRIPTION	QTY	ITEM	PART NO.	DESCRIPTION	QTY	
1	3022	CYLINDER, HYDRAULIC 5 X 30	1	30	10171	SIGHT GAUGE W/THERMOMETER	1	
2	3022R	CYLINDER REPAIR KIT - PRINCE 5 X 30	1	31	5521D	HYDRAULIC OIL RESERVOIR	1	
3	5656	CYLINDER PIN, FRONT	1	32	447	CAP SCREW H.H. 3/8-16 X 1-1/4	10	
4	799	HAIRPIN, COTTER	2	33	700	WASHER, FLAT 3/8"	10	
5	3020-1	VALVE, HYDRAULIC	1	34	212	NUT, HEX 3/8-16	4	
6		LINK, VALVE HANDLE	1	35		DRAIN PLUG 3/8"	1	
7		PIN, CLEVIS	3	36	3009	SUCTION STRAINER, 2NPT EXT. X $1-1/4$ NPT	1	
8		PIN, COTTER	3	37	3133	ELBOW, STREET 1"NPT X 90°	1	
9		HANDLE, VALVE	1	38	4675	O-RING FIT, BELL END 1-5/16-12 X 1-1/4	1	
10	3019	PRESSURE GAUGE	1	39	4571	PUMP, HYDRAULIC 28 GPM	1	
11	3085	CAP SCREW, H.H. 1/4-20 X 1-3/4	3	40	3513.50	MOTOR, PUMP ADAPTER 28 GPM	1	
12	445	WASHER, FLAT 1/4	3	41	10067	JAW COUPLING 5/8"	1	
13	226	NUT, HEX 1/4-20	3	42		RUBBER INSERT - BLACK RUBBER	1	
14	3138	REDUCER BUSHING 1-1/4NPT X 1NPT	6	43	10066	CYLINDER, HYDRAULIC 5 X 30	1	
15	3131	ELBOW ADAPTER 3/4 X 3/4 X 90°	6	44	1492	KEY, SQUARE 1/4" SQ. X 1" LG.	1	
16	3139	NIPPLE, CLOSE 1"NPT	1	45	4643	ENGINE, GAS BRIGGS & STRATTON 18HP	1	
17		HOSE, HYDRAULIC 60" LG.	1	46		BATTERY 12 VOLT	1	
18	3399	HOSE, HYDRAULIC 30" LG.	1	47	10408	BATTERY POST GUARD BLACK-NEG.	1	
19	3402	HOSE, HYDRAULIC 50" LG.	1	48		BATTERY POST GUARD RED-POS.	1	
20	3148	HOSE, HYD. RETURN 1-1/4 I.D. X 40" LG.	1	49	3163	BATTERY CABLE 26" NEG.	1	
21	3148	HOSE, HYD. RETURN 1-1/4 I.D. X 33" LG.	1	50	3162	BATTERY CABLE 16" POS.	1	
22	3148	HOSE, HYD. 1-1/4 I.D. X 18" LG.	1	51	10664	RING BOOT, STARTE END	1	
23		FILTER (COMPLETE UNIT)	1	52	492932 (5		1	
24		FILTER ELEMENT (ELEMENT ONLY)	1	53	692519	AIR CLEANER CARTRIDGE (MODEL 380000)	1	
25	3086	ELBOW, STREET 3/4NPT X 90°	1		692520	AIR CLEANER PRE-CLEANER (MODEL 380000)	1	
26	3921	BARB HOSE FITTING 1-1/4NPT X 1-1/4 I.D.	5	54		RUBBER STRAP 10"	1	
27	3088	HOSE CLAMP - SIZE 24	6	**		HYD. HOSE COVER - NYLON (NOT SHOWN)	1	
28	10152	HYDRAULIC OIL COOLER	1	**		VALVE PACKING KIT (3020 HYD. VALVE)	1	
29	3147	BREATHER CAP 1"DIA.	1	55	3022-1	PIN, CYLINDER	1	





TC-100 TIRE COMPRESSOR OPTION

PHOENIX, AZ • MONTICELLO, MN 1-800-223-4540

2 3111R ANGLE GUIDE R.H. 3 3111L ANGLE GUIDE L.H. 4 5523 OUTER TUBE WELD 5 5522 FOOT, TIRE SLIDING 6 3396-1 CYLINDER, HYDRAULIC 2.5 X 24 7 3396-2 PIN, CYLINDER 8 3127 BAR, CLAMP 9 770 CAP SCREW 1/2-13 X 2-1/2 10 224 WASHER, FLAT 1/2" 11 223 NUT, HEX 1/2-13 12 378 CAP SCREW 3/8-16 X 4 13 1354 LOCK WASHER 3/8" 14 398 NUT, HEX 3/8-16 15 3117 CAP SCREW 3/8-16 X 6 16 3080 CAP SCREW 1/2-13 X 4-1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	
2 3111R ANGLE GUIDE R.H. 3 3111L ANGLE GUIDE L.H. 4 5523 OUTER TUBE WELD 5 5522 FOOT, TIRE SLIDING 6 3396-1 CYLINDER, HYDRAULIC 2.5 X 24 7 3396-2 PIN, CYLINDER 8 3127 BAR, CLAMP 9 770 CAP SCREW 1/2-13 X 2-1/2 10 224 WASHER, FLAT 1/2" 11 223 NUT, HEX 1/2-13 12 378 CAP SCREW 3/8-16 X 4 13 1354 LOCK WASHER 3/8" 14 398 NUT, HEX 3/8-16 15 3117 CAP SCREW 3/8-16 X 6 16 3080 CAP SCREW 1/2-13 X 4-1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	ΓΥ
3 3111L ANGLE GUIDE L.H. 4 5523 OUTER TUBE WELD 5 5522 FOOT, TIRE SLIDING 6 3396-1 CYLINDER, HYDRAULIC 2.5 X 24 7 3396-2 PIN, CYLINDER 8 3127 BAR, CLAMP 9 770 CAP SCREW 1/2-13 X 2-1/2 10 224 WASHER, FLAT 1/2" 11 223 NUT, HEX 1/2-13 12 378 CAP SCREW 3/8-16 X 4 13 1354 LOCK WASHER 3/8" 14 398 NUT, HEX 3/8-16 15 3117 CAP SCREW 3/8-16 X 6 16 3080 CAP SCREW 1/2-13 X 4-1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 80" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	1
4 5523 OUTER TUBE WELD 5 5522 FOOT, TIRE SLIDING 6 3396-1 CYLINDER, HYDRAULIC 2.5 X 24 7 3396-2 PIN, CYLINDER 8 3127 BAR, CLAMP 9 770 CAP SCREW 1/2-13 X 2-1/2 10 224 WASHER, FLAT 1/2" 11 223 NUT, HEX 1/2-13 12 378 CAP SCREW 3/8-16 X 4 13 1354 LOCK WASHER 3/8" 14 398 NUT, HEX 3/8-16 15 3117 CAP SCREW 3/8-16 X 6 16 3080 CAP SCREW 1/2-13 X 4-1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 84" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	
5 5522 FOOT, TIRE SLIDING 6 3396-1 CYLINDER, HYDRAULIC 2.5 X 24 7 3396-2 PIN, CYLINDER 8 3127 BAR, CLAMP 9 770 CAP SCREW 1/2-13 X 2-1/2 10 224 WASHER, FLAT 1/2" 11 223 NUT, HEX 1/2-13 12 378 CAP SCREW 3/8-16 X 4 13 1354 LOCK WASHER 3/8" 14 398 NUT, HEX 3/8-16 15 3117 CAP SCREW 3/8-16 X 6 16 3080 CAP SCREW 1/2-13 X 4-1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUN	
6 3396-1 CYLINDER, HYDRAULIC 2.5 X 24 7 3396-2 PIN, CYLINDER 8 3127 BAR, CLAMP 9 770 CAP SCREW 1/2-13 X 2-1/2 10 224 WASHER, FLAT 1/2" 11 223 NUT, HEX 1/2-13 12 378 CAP SCREW 3/8-16 X 4 13 1354 LOCK WASHER 3/8" 14 398 NUT, HEX 3/8-16 15 3117 CAP SCREW 3/8-16 X 6 16 3080 CAP SCREW 1/2-13 X 4-1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 80" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	
7 3396-2 PIN, CYLINDER 8 3127 BAR, CLAMP 9 770 CAP SCREW 1/2-13 X 2-1/2 10 224 WASHER, FLAT 1/2" 11 223 NUT, HEX 1/2-13 12 378 CAP SCREW 3/8-16 X 4 13 1354 LOCK WASHER 3/8" 14 398 NUT, HEX 3/8-16 15 3117 CAP SCREW 3/8-16 X 6 16 3080 CAP SCREW 1/2-13 X 4-1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	1
8 3127 BAR, CLAMP 9 770 CAP SCREW 1/2-13 X 2-1/2 10 224 WASHER, FLAT 1/2" 11 223 NUT, HEX 1/2-13 12 378 CAP SCREW 3/8-16 X 4 13 1354 LOCK WASHER 3/8" 14 398 NUT, HEX 3/8-16 15 3117 CAP SCREW 3/8-16 X 6 16 3080 CAP SCREW 1/2-13 X 4-1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 84" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	
9 770 CAP SCREW 1/2-13 X 2-1/2 10 224 WASHER, FLAT 1/2" 11 223 NUT, HEX 1/2-13 12 378 CAP SCREW 3/8-16 X 4 13 1354 LOCK WASHER 3/8" 14 398 NUT, HEX 3/8-16 15 3117 CAP SCREW 3/8-16 X 6 16 3080 CAP SCREW 1/2-13 X 4-1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	2
10 224 WASHER, FLAT 1/2" 11 223 NUT, HEX 1/2-13 12 378 CAP SCREW 3/8-16 X 4 13 1354 LOCK WASHER 3/8" 14 398 NUT, HEX 3/8-16 15 3117 CAP SCREW 3/8-16 X 6 16 3080 CAP SCREW 1/2-13 X 4-1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	2
11 223 NUT, HEX 1/2-13 12 378 CAP SCREW 3/8-16 X 4 13 1354 LOCK WASHER 3/8" 14 398 NUT, HEX 3/8-16 15 3117 CAP SCREW 3/8-16 X 6 16 3080 CAP SCREW 1/2-13 X 4-1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	2
12 378 CAP SCREW 3/8-16 X 4 13 1354 LOCK WASHER 3/8" 14 398 NUT, HEX 3/8-16 15 3117 CAP SCREW 3/8-16 X 6 16 3080 CAP SCREW 1/2-13 X 4-1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	1
13 1354 LOCK WASHER 3/8" 14 398 NUT, HEX 3/8-16 15 3117 CAP SCREW 3/8-16 X 6 16 3080 CAP SCREW 1/2-13 X 4-1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	1
14 398 NUT, HEX 3/8–16 15 3117 CAP SCREW 3/8–16 X 6 16 3080 CAP SCREW 1/2–13 X 4–1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2–13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	3
15 3117 CAP SCREW 3/8-16 X 6 16 3080 CAP SCREW 1/2-13 X 4-1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	7
16 3080 CAP SCREW 1/2-13 X 4-1/2 (MOD) 17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	7
17 799 HAIRPIN, COTTER 18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	
18 276 COTTER PIN 3/16 X 2 19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	
19 3844 ADAPTER, HOSE COUPLING 20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	1
20 366 CAP SCREW 1/2-13 X 4 21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	1
21 3145 HOSE, 1/2 I.D. X 84" LG. 22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	2
22 3000 HOSE, 1/2 I.D. X 60" LG. 23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	
23 3135 NIPPLE, CLOSE 3/4NPT HI PRESSURE 24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	
24 10789 BAR LINK 25 3038 BRACKET, VALVE MOUNT	
25 3038 BRACKET, VALVE MOUNT	1
26 3020-1 HYDRAUUC VALVE	
20 3020-1 ITIDIAOLIC VALVE	
27 3020–2 VALVE, HANDLE LINK	1
28 3020-3 COTTER PIN	3
29 3020-4 CLEVIS PIN	3
30 3020-5 HANDLE	
31 3131 SWIVEL, ELBOW 3/4NPT M X 3/4NPT F	2
32 125 REDUCER BUSHING 3/4 X 1/2NPT :	2
33 639 CAP SCREW 1/4-20 X 2-1/2	3
34 1318 WASHER, FLAT 5/16"	3
35 226 NUT, SELF LOCK 1/4-20	3